



## HyProTherm

### Product List

4/22/2022

Rev 1/13/23

#### Table of Contents

Pg. 2 HyProTherm Furnace model names explained.

Pg. 3 - 9 Hyprotherm Top Loading, Chest Type Furnace.  
A Brief Overview

Pg. 10 - 27 Hyprotherm (TL) Top Loading, Chest Type, Hydronic

Pg. 28 - 32 Hyprotherm (FLRH) Front Loading, Residential,  
Hydronic (COAL ONLY)

Pg. 33 - 34 Hyprotherm (FLFA) Front Loading, Forced Air  
(Coal Only)

Pg. 35 - 37 Hyprotherm (LRH) L Series, Front Loading,  
Residential, Hydronic (COAL ONLY) Out of stock

Pg. 38, 39 Hyprotherm (LFA) L-Series, Front Loading, Forced  
Air (Coal Only) Out of stock

Pg. 40 - 49 Customized Option List for all Hyprotherm Furnace

**\*Pg. 50 New Product Page\***

# HyProTherm Top Loader names explained


HyProTherm TL = Original TL furnace, has water in the lid.

HyProTherm TL – WT = Version II of the TL furnace line, has no water in the lid.

HyProTherm TL – WT, 12/12 = 12” of water on the ends, 12” on the sides, see (A)

HyProTherm TL – WT, 12/6 = 12” of water on the ends 6” on the sides, see (B)

HyProTherm TL – WT, 6/6 = 6” of water on the ends 6” on the sides, see (C)



HyProTherm TL – WTC = same design as TL-WT, but with water in the lid. This is not the same design as the original TL series.

# Hyprotherm Top Loading; Chest Type Furnaces

## A Brief overview

**RED = Original Water In Lid Top Loader**

**BLUE = 6” of water**

**PINK = 10” of water**

**GREEN = 12” of water**

**ORANGE = 14” of water**

<u>Size/Model</u>	<u>Firebox Dimensions</u>	<u>CUBIC FEET</u>	<u>Water Capacity</u>	<u>Retail Price</u>	<u>BTU</u>	<u>Heats SQ'</u>
<b>4' Fire Boxes</b>						
<u>TL-433-WT</u> 12/12	(4L'x3W'x3H')	36 CF	348 Gallon	<b>\$19450</b>	389,934	9,453
<u>TL-433-WTC</u> 12/12	80 gals in the lid		428 Gallon	<b>\$20797</b>	479,574	11,626
<u>TL-434-WT</u> 12/12	(4L'x3W'x4H')	48 CF	482 Gallon	<b>\$21197</b>	540,081	13,502
<u>TL-446-WT</u> 6/6	(4L'x4W'x6H')	96 CF	357 Gallon	<b>\$26950</b>	400,019	9,697
<u>TL-446-WTC</u> 6/6	80 gals in the lid		437 Gallon	<b>\$28475</b>	489,469	11,866
<u>TL-446-WT</u> 10/10	(4L'x4W'x6H')	96 CF	665 Gallon	<b>\$27775</b>	745,133	18,064
<u>TL-446-WTC</u> 10/10	80 gals in the lid		745 Gallon	<b>\$29297</b>	834,773	20,236
<u>TL-454-WT</u> 6/6	(4L'x5W'x4H')	80 CF	244 Gallon	<b>\$23975</b>	273,402	6,835
<u>TL-454-WTC</u> 6/6	100 gals in the lid		344 Gallon	<b>\$25550</b>	385,452	9,344
<u>TL-454-WT</u> 12/12	(4L'x5W'x4H')	80 CF	580 Gallon	<b>\$24845</b>	649,890	15,755
<u>TL-454-WTC</u> 12/12	100 gals in the lid		680 Gallon	<b>\$26375</b>	761,940	18,471

<u>Size/Model</u>	<u>Firebox Dimensions</u>	<u>CUBIC FEET</u>	<u>Water Capacity</u>	<u>Retail Price</u>	<u>BTU</u>	<u>Heats SQ'</u>
<b>5' Fire Boxes</b>						
<a href="#">TL-534-WT 6/6</a>	(5L'x3W'x4H')	60CF	224 Gallon	<b>\$23797</b>	250,992	6,085
<a href="#">TL-534-WTC 6/6</a>	75 gals in the lid		299 Gallon	<b>\$25197</b>	350,030	8,486
<a href="#">TL-534-WT 12/12</a>	(5L'x3W'x4H')	60 CF	533 Gallon	<b>\$24489</b>	597,227	14,478
<a href="#">TL-534-WTC 12/12</a>	75 gals in the lid		608 Gallon	<b>\$25996</b>	681,264	16,515
<a href="#">TL-544-WT 6/6</a>		80 CF	247 Gallon	<b>\$25750</b>	276,764	6,919
<a href="#">TL-544-WTC 6/6</a>	100 gals in the lid		347 Gallon	<b>\$27270</b>	388,814	9,720
<a href="#">TL-544-WT 12/12</a>		80 CF	576 Gallon	<b>\$25125</b>	645,408	16,135
<a href="#">TL-544-WTC 12/12</a>	100 gals in the lid		676 Gallon	<b>\$26697</b>	757,458	18,936
<a href="#">TL-553-WT 6/6</a>	(5L'x5W'x3H')	75 CF	303 Gallon	<b>\$25950</b>	339,512	8,231
<a href="#">TL-553-WTC 6/6</a>	125 gals in the lid		428 Gallon	<b>\$27597</b>	479,574	11,626
<a href="#">TL-553-WT 12/12</a>	(5L'x5W'x3H')	75 CF	447 Gallon	<b>\$26875</b>	500,864	12,142
<a href="#">TL-553-WTC 12/12</a>	125 gals in the lid		572 Gallon	<b>\$28420</b>	640,926	15,538
<a href="#">TL-555-WT 6/6</a>	(5L'x5W'x5H')	125CF	344 Gallon	<b>\$31974</b>	385,452	9,344
<a href="#">TL-555-WTC 6/6</a>	125 gals in the lid		469 Gallon	<b>\$33459</b>	525,515	12,740
<a href="#">TL-555-WT 12/12</a>	(5L'x5W'x5H')	125CF	806 Gallon	<b>\$32997</b>	903,123	21,894
<a href="#">TL-555-WTC 12/12</a>	125 gals in the lid		931 Gallon	<b>\$34575</b>	1,043,186	25,289
<a href="#">TL-556-WT 6/6</a>	(5L'x5W'x6H')	150CF	426 Gallon	<b>\$35150</b>	477,333	11,572
<a href="#">TL-556-WTC 6/6</a>	125 gals in the lid		551 Gallon	<b>\$36597</b>	617,396	14,697
<a href="#">TL-556-WT 12/12</a>	(5L'x5W'x6H')	150CF	985 Gallon	<b>\$36550</b>	1,103,693	26,592
<a href="#">TL-556-WTC 12/12</a>	125 gals in the lid		1,110 Gals	<b>\$38997</b>	1,243,755	31,093

<u>Size/Model</u>	<u>Firebox Dimensions</u>	<u>CUBIC FEET</u>	<u>Water Capacity</u>	<u>Retail Price</u>	<u>BTU</u>	<u>Heats SQ'</u>
<b>6' Fire Boxes</b>						
<a href="#">TL-633-WT 6/6</a>	(6L'x3W'x3H')	54 CF	173 Gallon	<b>\$20975</b>	193,847	4,699
<a href="#">TL-633-WTC 6/6</a>	90 gals in the lid		263 Gallon	<b>\$22450</b>	294,692	7,367
<a href="#">TL-633-WT 12/12</a>	(6L'x3W'x3H')	54 CF	419 Gallon	<b>\$21740</b>	469,490	11,382
<a href="#">TL-633-WTC 12/12</a>	90 gals in the lid		504 Gallon	<b>\$23357</b>	564,732	13,690
<a href="#">TL-634-WT 6/6</a>	(6L'x3W'x4H')	72 CF	247 Gallon	<b>\$26195</b>	276,764	6,919
<a href="#">TL-634-WTC 6/6</a>	90 gals in the lid		337 Gallon	<b>\$27748</b>	377,609	9,440
<a href="#">TL-634-WT 12/12</a>	(6L'x3W'x4H')	72 CF	583 Gallon	<b>\$26875</b>	653,252	15,836
<a href="#">TL-634-WTC 12/12</a>	90 gals in the lid		673 Gallon	<b>\$28177</b>	754,097	18,281
<a href="#">TL-644-WT 6/6</a>	(6L'x4W'x4H')	96 CF	404 Gallon	<b>\$29097</b>	452,682	10,974
<a href="#">TL-644-WTC 6/6</a>	120 gals in the lid		524 Gallon	<b>\$30597</b>	587,142	14,234
<a href="#">TL-644-WT 12/12</a>	(6L'x4W'x4H')	96 CF	628 Gallon	<b>\$29797</b>	703,674	17,059
<a href="#">TL-644-WTC 12/12</a>	120 gals in the lid		748 Gallon	<b>\$31297</b>	838,134	20,442
<a href="#">TL-1350-WT 6/6</a>	(6L'x6W'x6H')	216CF	491 Gallon	<b>\$40550</b>	550,166	13,337
<a href="#">TL-1350-WTC 6/6</a>	180 gals in the lid		671 Gallon	<b>\$42075</b>	751,865	18,227
<a href="#">TL-1350-WT 12/6</a>	(6L'x6W'x6H')	216CF	897 Gallon	<b>\$41575</b>	1,005,089	24,366
<a href="#">TL-1350-WTC 12/6</a>	180 gals in the lid		1,077 Gals	<b>\$42997</b>	1,206,779	30,168
<b>7' Fire Boxes</b>						
<a href="#">TL-734-WT 6/6</a>	(7L'x3W'x4H')	84 CF	269 Gallon	<b>\$28645</b>	301,415	7,535
<a href="#">TL-744-WT 6/6</a>	(7L'x4W'x4H')	112CF	284 Gallon	<b>\$31497</b>	318,222	7,956
<a href="#">TL-744-WTC 12/12</a>	142 gals in the lid		823 Gallon	<b>\$34297</b>	922,172	22,356
<a href="#">TL-745-WTC 12/12</a>	142 gals lid	140CF	1,017 Gals	<b>\$37475</b>	1,139,549	27,043

<u>Size/Model</u>	<u>Firebox Dimensions</u>	<u>CUBIC FEET</u>	<u>Water Capacity</u>	<u>Retail Price</u>	<u>BTU</u>	<u>Heats SQ'</u>
<b>8' Fire Boxes</b>						
<a href="#">TL-844-WT 6/6</a>	(8L'x4W'x4H')	128CF	264 Gallon	<b>\$33397</b>	295,812	7,171
<a href="#">TL-844-WTC 6/6</a>	160 gals in the lid		424 Gallon	<b>\$36397</b>	475,092	11,517
<a href="#">TL-844-WT 12/12</a>	(8L'x4W'x4H')	128CF	726 Gallon	<b>\$34575</b>	813,483	19,720
<a href="#">TL-844-WTC 12/12</a>	160 gals in the lid		886 Gallon	<b>\$37497</b>	992,763	24,066
<a href="#">TL-854-WT 6/6</a>	(8L'x5W'x4H')	160CF	318 Gallon	<b>\$34975</b>	356,319	8,638
<a href="#">TL-854-WTC 6/6</a>	198 gals in the lid		516 Gallon	<b>\$37875</b>	578,178	14,016
<a href="#">TL-854-WT 12/12</a>	(8L'x5W'x4H')	160CF	767 Gallon	<b>\$35997</b>	859,424	20,835
<a href="#">TL-854-WTC 12/12</a>	198 gals in the lid		965 Gallon	<b>\$38997</b>	1,081,283	26,213

<u>Size/Model</u>	<u>Firebox Dimensions</u>	<u>CUBIC FEET</u>	<u>Water Capacity</u>	<u>Retail Price</u>	<u>BTU</u>	<u>Heats SQ'</u>
<b>9' Fire Boxes</b>						
<a href="#">TL-934-WT 6/6</a>	(9L'x3W'x4H')	108CF	314 Gallon	<b>\$32575</b>	351,837	8,529
<a href="#">TL-934-WTC 6/6</a>	135 gals in the lid		449 Gallon	<b>\$35597</b>	503,105	12,196
<a href="#">TL-934-WT 12/12</a>	(9L'x3W'x4H')	108CF	735 Gallon	<b>\$33697</b>	823,568	20,014
<a href="#">TL-934-WTC 12/12</a>	135 gals in the lid		870 Gallon	<b>\$35397</b>	974,835	23,632
<a href="#">TL-944-WT 6/6</a>	(9L'x4W'x4H')	144CF	386 Gallon	<b>\$35575</b>	432,513	10,485
<a href="#">TL-944-WTC 6/6</a>	180 gals in the lid		566 Gallon	<b>\$38597</b>	634,203	15,375
<a href="#">TL-944-WT 12/12</a>	(9L'x4W'x4H')	144CF	774 Gallon	<b>\$36675</b>	867,267	21,025
<a href="#">TL-944-WTC 12/12</a>	180 gals in the lid		954 Gallon	<b>\$39680</b>	1,068,957	25,914
<a href="#">TL-955-WT 6/6</a>	(9L'x5W'x5H')	225CF	449 Gallon	<b>\$41075</b>	503,105	12,186
<a href="#">TL-955-WTC 6/6</a>	225 gals in the lid		674 Gallon	<b>\$45450</b>	755,217	18,308
<a href="#">TL-955-WT 12/12</a>	(9L'x5W'x5H')	225CF	1,053 Gals	<b>\$42662</b>	1,179,887	28,603
<a href="#">TL-955-WTC 12/12</a>	225 gals in the lid		1,278 Gal	<b>\$45597</b>	1,431,999	34,715
<a href="#">TL-955-WT 14/12</a>	(9L'x5W'x5H')	225CF	1,287 Gal	<b>\$44250</b>	1,442,084	34,860
<a href="#">TL-955-WTC 14/12</a>	225 gals in the lid		1512 Gal	<b>\$48547</b>	1,694,196	47,071

<u>Size/Model</u>	<u>Firebox Dimensions</u>	<u>CUBIC FEET</u>	<u>Water Capacity</u>	<u>Retail Price</u>	<u>BTU</u>	<u>Heats SQ'</u>
<b>10' Fire Boxes</b>						
<a href="#">TL-1044-WT 6/6</a>	(10L'x4W'x4H')	160CF	346 Gallon	<b>\$38440</b>	387,693	9,399
<a href="#">TL-1044-WTC 6/6</a>	200 gals in the lid		546 Gallon	<b>\$41854</b>	611,793	14,831
<a href="#">TL-1044-WT 12/12</a>	(10L'x4W'x4H')	160CF	823 Gallon	<b>\$39641</b>	922,172	22,356
<a href="#">TL-1044-WTC 12/12</a>	200 gals in lid		1,023 Gals	<b>\$42897</b>	1,146,272	27,788
<a href="#">TL-1046-WTC 6/6</a>	200 gals in the lid		762 Gallon	<b>\$47275</b>	853,821	21,345
<a href="#">TL-1046-WTC 12/12</a>	200 gals in the lid		1,495 Gals	<b>\$48475</b>	1,675,148	41,878
<a href="#">TL-1054-WT 6/6</a>	(10L'x5W'x4H')	200CF	355 Gallon	<b>\$41360</b>	397,778	9,643
<a href="#">TL-1054-WTC 6/6</a>	250 gals in the lid		605 Gallon	<b>\$44780</b>	783,230	18,987
<a href="#">TL-1054-WT 12/12</a>	(10L'x5W'x4H')	200CF	860 Gallon	<b>\$42597</b>	963,630	22,361
<a href="#">TL-1054-WTC 12/12</a>	250 gals in the lid		1,110 Gals	<b>\$45997</b>	1,243,755	30,152
<a href="#">TL-1055-WT 6/6</a>	(10L'x5W'x5H')	250CF	475 Gallon	<b>\$43997</b>	532,238	12,903
<a href="#">TL-1055-WTC 6/6</a>	250 gals in the lid		725 Gallon	<b>\$46997</b>	812,363	19,694
<a href="#">TL-1055-WT 12/12</a>	(10L'x5W'x5H')	250CF	1,115 Gals	<b>\$45567</b>	1,249,358	30,287
<a href="#">TL-1055-WTC 12/12</a>	250 gals in the lid		1,365 Gals	<b>\$48987</b>	1,529,483	37,078
<a href="#">TL-1056-WT 6/6</a>	(10L'x5W'x6H')	300CF	598 Gallon	<b>\$46967</b>	670,059	16,751
<a href="#">TL-1056-WTC 6/6</a>	250 gals in the lid		848 Gallon	<b>\$50375</b>	950,184	23,754
<a href="#">TL-1056-WT 12/12</a>	(10L'x5W'x6H')	300CF	1,369 Gals	<b>\$48475</b>	1,533,965	38,187
<a href="#">TL-1056-WTC 12/12</a>	250 gals in the lid		1,619 Gals	<b>\$51897</b>	1,814,090	43,978
<a href="#">TL-1065-WTC 6/6</a>	299 gals in the lid		934 Gallon	<b>\$50750</b>	1,046,547	26,164



<u>Size/Model</u>	<u>Firebox Dimensions</u>	<u>CUBIC FEET</u>	<u>Water Capacity</u>	<u>Retail Price</u>	<u>BTU</u>	<u>Heats SQ'</u>
<b>12' Fire Boxes</b>						
<a href="#">TL-1256-WT6/6</a>	(12L'x5W'x6H')	360CF	667 Gallon	<b>\$50945</b>	747,374	18,118
<a href="#">TL-1256-WTC6/6</a>	250 gals in the lid		917 Gallon	<b>\$54287</b>	1,082,403	27,060
<a href="#">TL-1256-WT 12/12</a>	(12L'x5W'x6H')	360CF	1,527 Gals	<b>\$52775</b>	1,711,004	41,479
<a href="#">TL-1256-WTC 12/12</a>	299 gals in the lid		1,826 Gals	<b>\$56257</b>	2,046,033	51,150
<b>14' Fire Boxes</b>						
<a href="#">TL-1456-WT 6/6</a>	(14L'x5W'x6H')	420CF	733 Gallon	<b>\$72497</b>	821,327	20,533
<a href="#">TL-1456-WTC 6/6</a>	352 gals in the lid		1,085 Gal	<b>\$76897</b>	1,215,743	30,394
<a href="#">TL-1456-WT 12/12</a>	(14L'x5W'x6H')	420CF	1,085 Gal	<b>\$74397</b>	1,876,838	46,920
<a href="#">TL-1456-WTC 12/12</a>	352 gals in the lid		2,027 Gal	<b>\$78697</b>	2,271,254	56,781
<a href="#">TLFA-1456- 6/6</a>	(14L'x5W'x6H')	420CF	N/A	<b>\$77597</b>		
<a href="#">TLFA-1466- 6/6</a>	(14L'x6W'x6H')	505CF	N/A	<b>\$81175</b>		

## Hyprotherm Top Loading Chest Type Hydronic

The *Hyprotherm, Top Loading, Chest Type* furnace is the only furnace in its class. All Hyprotherm top loading furnaces come with ½” fireboxes and 3/16” water jackets. Each comes with hydraulically opened top load fuel doors, which open with the touch of a finger. They can also be operated by remote from the comfort of your tractor seat (remote sold separately) Removable ash pan is available upon request.

See page 42 for options available on your TL model

### Hyprotherm TL-433-WT 12/12

Retail: \$19,450

Water Capacity: 348 gallons  
Water Jacket Thickness: 3/16”  
Firebox Capacity: 36 cubic feet  
Firebox Dimensions: ½” thick x 4’L x 3’W x 3’H  
Overall Dimensions: 100 ½” x 80 ½” x 86”  
Shipping Weight: 3,595 lbs. Approx  
Fuel Door: 4’L x 3’W  
Grate System: Round steel (requires 4)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 389,934 @ 180 degree  
Heatable Area: 9,453 sq ft Approx

### Hyprotherm TL-446-WT 6/6

Retail: \$26,950

Water Capacity: 357 gallons  
Water Jacket Thickness: 3/16”  
Firebox Capacity: 96 cubic feet  
Firebox Dimensions: ½” thick x 4’L x 4’W x 6’H  
Overall Dimensions: 88 ½” x 78 ½” x 122”  
Shipping Weight: 5,088 lbs Approx  
Fuel Door: 4’L x 4’W  
Grate System: Round steel (requires 4)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 400,019 @ 180 degree  
Heatable Area: 9,697 sq ft Appro

### Hyprotherm TL-446-WT 10/10

Retail: \$27,775

Water Capacity: 665 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 96 cubic feet  
Firebox Dimensions: ½" thick x 4'L x 4'W x 6'H  
Overall Dimensions: 92 ½" x 90 ½" x 122"  
Shipping Weight: 5,385 lbs Approx  
Fuel Door: 4'L x 4'W  
Grate System: Round steel (requires 4)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 745,133 @ 180 degree  
Heatable Area: 18,064 sq ft Approx

### Hyprotherm TL-446-WTC 10/10

Retail: \$29,297

Water Capacity: 665 in bottom:  
745 total gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 96 cubic feet  
Firebox Dimensions: ½" thick x 4'L x 4'W x 6'H  
Overall Dimensions: 92 ½" x 90 ½" x 122"  
Shipping Weight: 5,585 lbs Approx  
Fuel Door: 4'L x 4'W  
Grate System: Round steel (requires 4)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 834,773 @ 180 degree  
Heatable Area: 20,236 sq ft Approx

### Hyprotherm TL-454-WT 6/6

Retail: \$23,975

Water Capacity: 244 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 80 cubic feet  
Firebox Dimensions: ½" thick x 4'L x 5'W x 4'H  
Overall Dimensions: 88 ½" x 88 ½" x 98"  
Shipping Weight: 4,200 lbs Approx  
Fuel Door: 4'L x 5'W  
Grate System: Round steel (requires 4)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 250,992 @ 180 degree  
Heatable Area: 6,085 sq ft Approx

Hyprotherm TL-454-WT 12/12

Retail: \$24,845

Water Capacity: 580 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 80 cubic feet  
Firebox Dimensions: ½" thick x 4'L x 5'W x 4'H  
Overall Dimensions: 100 ½" x 100 ½" x 98"  
Shipping Weight: 4,345 lbs Approx  
Fuel Door: 4'L x 5'W  
Grate System: Round steel (requires 4)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 649,890 @ 180 degree  
Heatable Area: 15,755 sq ft Approx

Hyprotherm TL-534 –WT 6/6

Retail: \$23,797

Water Capacity: 224 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 60 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 3'W x 4'H  
Overall Dimensions: 100 ½" x 68 ½" x 98"  
Shipping Weight: 5,215 lbs Approx  
Fuel Door: 5'L x 3'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 250,992 @ 180 degree  
Heatable Area: 6,085 sq ft Approx

Hyprotherm TL-534-WT 12/12

Retail: \$24,489

Water Capacity: 533 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 60 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 3'W x 4'H  
Overall Dimensions: 112 ½" x 80 ½" x 98"  
Shipping Weight: 5,340 lbs Approx  
Fuel Door: 5'L x 3'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 597,227 @ 180 degree  
Heatable Area: 14,478 sq ft Appro

### Hyprotherm TL-553-WT 6/6

Retail: \$25,950

Water Capacity: 303 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 75 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 5'W x 3'H  
Overall Dimensions: 100 ½" x 88 ½" x 86"  
Shipping Weight: 5,500 lbs Approx  
Fuel Door: 5'L x 5'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 339,512 @ 180 degree  
Heatable Area: 8,231 sq ft Approx

### Hyprotherm TL-553-WT 12/12

Retail: \$26,875

Water Capacity: 447 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 75 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 5'W x 3'H  
Overall Dimensions: 112 ½" x 100 ½" x 86"  
Shipping Weight: 5,900 lbs Approx  
Fuel Door: 5'L x 5'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 500,864 @ 180 degree  
Heatable Area: 12,142 sq ft Approx

### Hyprotherm TL-555-WT 6/6

Retail: \$31,974

Water Capacity: 344 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 125 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 5'W x 5'H  
Overall Dimensions: 100 ½" x 88 ½" x 110"  
Shipping Weight: 6,745 lbs Approx  
Fuel Door: 5'L x 5'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 385,452 @ 180 degree  
Heatable Area: 9,344 sq ft Approx

Hyprotherm TL-555-WT 12/12

Retail: \$32,997

Water Capacity: 806 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 125 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 5'W x 5'H  
Overall Dimensions: 112 ½" x 100 ½" x 110"  
Shipping Weight: 7,025 lbs Approx  
Fuel Door: 5'L x 5'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 903,123 @ 180 degree  
Heatable Area: 21,894 sq ft Approx

Hyprotherm TL-556-WT 6/6

Retail: \$35,150

Water Capacity: 426 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 150 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 5'W x 6'H  
Overall Dimensions: 100 ½" x 88 ½" x 122"  
Shipping Weight: 7,372 lbs Approx  
Fuel Door: 5'L x 5'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 477,333 @ 180 degree  
Heatable Area: 11,572 sq ft Approx

Hyprotherm TL-556-WT 12/12

Retail: \$36,550

Water Capacity: 985 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 150 cubic feet  
Firebox Dimensions: ½" thick x 5'L x 5'W x 6'H  
Overall Dimensions: 112 ½" x 100 ½" x 122"  
Shipping Weight: 7,541 lbs Approx  
Fuel Door: 5'L x 5'W  
Grate System: Round steel (requires 5)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,103,693 @ 180 degree  
Heatable Area: 26,756 sq ft Appro

### Hyprotherm TL-633-WT 6/6

Retail: \$20,975

Water Capacity: 173 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 54 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 3'W x 3'H  
Overall Dimensions: 112 ½" x 68 ½" x 86"  
Shipping Weight: 5,997 lbs Approx  
Fuel Door: 6'L x 3'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 193,847 @ 180 degree  
Heatable Area: 4,699 sq ft Approx

### Hyprotherm TL-633-WT 12/12

Retail: \$21,740

Water Capacity: 419 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 54 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 3'W x 3'H  
Overall Dimensions: 124 ½" x 80 ½" x 86"  
Shipping Weight: 6,137 lbs Approx  
Fuel Door: 6'L x 3'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 469,490 @ 180 degree  
Heatable Area: 11,382 sq ft Approx

### Hyprotherm TL-634-WT 6/6

Retail: \$26,195

Water Capacity: 224 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 72 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 3'W x 4'H  
Overall Dimensions: 112 ½" x 68 ½" x 98"  
Shipping Weight: 6,414 lbs Approx  
Fuel Door: 6'L x 3'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 250,992 @ 180 degree  
Heatable Area: 6,085 sq ft Appr

### Hyprotherm TL-634-WT 12/12

Retail: \$26,875

Water Capacity: 583 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 72 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 3'W x 4'H  
Overall Dimensions: 124 ½" x 80 ½" x 98"  
Shipping Weight: 6,659 lbs Approx  
Fuel Door: 6'L x 3'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 653,252 @ 180 degree  
Heatable Area: 15,836 sq ft Approx

### Hyprotherm TL-644-WT 6/6

Retail: \$29,097

Water Capacity: 404 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 96 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 4'W x 4'H  
Overall Dimensions: 112 ½" x 78 ½" x 98"  
Shipping Weight: 7,085 lbs Approx  
Fuel Door: 6'L x 4'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 452,682 @ 180 degree  
Heatable Area: 10,974 sq ft Approx

### Hyprotherm TL-644-WT 12/12

Retail: \$29,797

Water Capacity: 628 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 96 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 4'W x 4'H  
Overall Dimensions: 124 ½" x 90 ½" x 98"  
Shipping Weight: 7,360 lbs Approx  
Fuel Door: 6'L x 4'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 703,674 @ 180 degree  
Heatable Area: 17,059 sq ft Approx



### Hyprotherm TL-1350-WT 6/6

Retail: \$40,550

Water Capacity: 491 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 216 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 6'W x 6'H  
Overall Dimensions: 112 ½" x 98 ½" x 122"  
Shipping Weight: 10,177 lbs Approx  
Fuel Door: 6'L x 6'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 550,166 @ 180 degree  
Heatable Area: 13,337 sq ft Approx

### Hyprotherm TL-1350-WT 12/6

Retail: \$41,575

Water Capacity: 897 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 216 cubic feet  
Firebox Dimensions: ½" thick x 6'L x 6'W x 6'H  
Overall Dimensions: 124 ½" x 98 ½" x 122"  
Shipping Weight: 10,545 lbs Approx  
Fuel Door: 6'L x 6'W  
Grate System: Round steel (requires 6)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,005,089 @ 180 degree  
Heatable Area: 24,366 sq ft Approx

### Hyprotherm TL-844-WT 6/6

Retail: \$33,397

Water Capacity: 264 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 128 cubic feet  
Firebox Dimensions: ½" thick x 8'L x 4'W x 4'H  
Overall Dimensions: 132" x 78 ½" x 98"  
Shipping Weight: 7,980 lbs Approx  
Fuel Door: 8'L x 4'W  
Grate System: Round steel (requires 8)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 295,812 @ 180 degree  
Heatable Area: 7,171 sq ft Approx

Hyprotherm TL-844-WT 12/12

Retail: \$34,575

Water Capacity: 726 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 128 cubic feet  
Firebox Dimensions: ½" thick x 8'L x 4'W x 4'H  
Overall Dimensions: 144" x 90 ½" x 98"  
Shipping Weight: 8,300 lbs Approx  
Fuel Door: 8'L x 4'W  
Grate System: Round steel (requires 8)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 813,483 @ 180 degree  
Heatable Area: 19,720 sq ft Approx

Hyprotherm TL-854-WT 6/6

Retail: \$34,975

Water Capacity: 318 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 160 cubic feet  
Firebox Dimensions: ½" thick x 8'L x 5'W x 4'H  
Overall Dimensions: 132" x 88 ½" x 98"  
Shipping Weight: 8,464 lbs Approx  
Fuel Door: 8'L x 5'W  
Grate System: Round steel (requires 8)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 356,319 @ 180 degree  
Heatable Area: 8,638 sq ft Approx

Hyprotherm TL-854-WT 12/12

Retail: \$35,997

Water Capacity: 767 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 160 cubic feet  
Firebox Dimensions: ½" thick x 8'L x 5'W x 4'H  
Overall Dimensions: 144" x 100 ½" x 98"  
Shipping Weight: 8,648 lbs Approx  
Fuel Door: 8'L x 5'W  
Grate System: Round steel (requires 8)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 859,424 @ 180 degree  
Heatable Area: 20,835 sq ft Approx

### Hyprotherm TL -934 -WT 6/6

Retail: \$32,575

Water Capacity: 314 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 108 cubic feet  
Firebox Dimensions: ½" thick x 9'L x 3'W x 4'H  
Overall Dimensions: 148 ½" x 68 ½" x 98"  
Shipping Weight: 9,397 lbs Approx  
Fuel Door: 9'L x 3'W  
Grate System: Round steel (requires 9)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 351,837 @ 180 degree  
Heatable Area: 8,529 sq ft Approx

### Hyprotherm TL-934-WT 12/12

Retail: \$33,697

Water Capacity: 735 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 108 cubic feet  
Firebox Dimensions: ½" thick x 9'L x 3'W x 4'H  
Overall Dimensions: 160 ½" x 80 ½" x 98"  
Shipping Weight: 9,700 lbs Approx.  
Fuel Door: 9'L x 3'W  
Grate System: Round steel (requires 9)  
Ash Clean-out: Door only, no removable ash pan  
BTUs: 823,568 @ 180 degree  
Heatable Area: 20,014 sq ft Approx.

### Hyprotherm TL-944-WT 6/6

Retail: \$35,575

Water Capacity: 386 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 144 cubic feet  
Firebox Dimensions: ½" thick x 9'L x 4'W x 4'H  
Overall Dimensions: 148 ½" x 78 ½" x 98"  
Shipping Weight: 10,354 lbs Approx.  
Fuel Door: 9'L x 4'W  
Grate System: Round steel (requires 9)  
Ash Clean-out: Door only, no removable ash pan  
BTUs: 432,513 @ 180 degree  
Heatable Area: 10,485 sq ft Approx.

### Hyprotherm TL-944-WT 12/12

Retail: \$36,675

Water Capacity: 774 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 144 cubic feet  
Firebox Dimensions: ½" thick x 9'L x 4'W x 4'H  
Overall Dimensions: 160 ½" x 90 ½" x 98"  
Shipping Weight: 10,690 lbs Approx.  
Fuel Door: 9'L x 4'W  
Grate System: Round steel (requires 9)  
Ash Clean-out: Door only, no removable ash pan  
BTUs: 867,267 @ 180 degree  
Heatable Area: 21,025 sq ft Approx

### Hyprotherm TL-955-WT 6/6

Retail: \$41,075

Water Capacity: 449 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 225 cubic feet  
Overall Dimensions: 148 ½" x 88 ½" x 110"  
Shipping Weight: 11,715 lbs Approx.  
Fuel Door: 9'L x 5'W  
Grate System: Round steel (requires 9)  
Ash Clean-out: Door only, no removable ash pan  
BTUs: 503,105 @ 180 degree  
Heatable Area: 12,186 sq ft Approx

### Hyprotherm TL-955-WT 12/12

Retail: \$42,662

Water Capacity: 1,053 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 225 cubic feet  
Firebox Dimensions: ½" thick x 9'L x 5'W x 5'H  
Overall Dimensions: 160 ½" x 100 ½" x 110"  
Shipping Weight: 12,134 lbs Approx.  
Fuel Door: 9'L x 5'W  
Grate System: Round steel (requires 9)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,179,887 @ 180 degree  
Heatable Area: 28,603 sq ft Approx

### Hyprotherm TL-955-WT 14/12

Retail: \$44,250

Water Capacity: 1,287 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 225 cubic feet  
Firebox Dimensions: ½" thick x 9'L x 5'W x 5'H  
Overall Dimensions: 164 ½" 100 ½" x 110"  
Shipping Weight: 12,225 lbs Approx  
Fuel Door: 9'L x 5'W  
Grate System: Round steel (requires 9)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,442,084 @ 180 degree  
Heatable Area: 34,860 sq ft Approx

### Hyprotherm TL-1044-WT 6/6

Retail: \$38,440

Water Capacity: 346 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 160 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 4'W x 4'H  
Overall Dimensions: 160 ½" x 78 ½" x 98"  
Shipping Weight: 10,124 lbs Approx  
Fuel Door: 10'L x 4'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 387,693 @ 180 degree  
Heatable Area: 9,399 sq ft Approx

### Hyprotherm TL-1044-WT 12/12

Retail: \$39,641

Water Capacity: 823 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 160 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 4'W x 4'H  
Overall Dimensions: 172 ½" 90 ½" x 98"  
Shipping Weight: 10,495 lbs Approx  
Fuel Door: 10'L x 4'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 922,172 @ 180 degree  
Heatable Area: 22,356 sq ft Approx

### Hyprotherm TL-1054-WT 6/6

Retail: \$41,360

Water Capacity: 355 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 200 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 5'W x 4'H  
Overall Dimensions: 160 ½" x 88 ½" x 98"  
Shipping Weight: 10,665 lbs Approx  
Fuel Door: 10'L x 5'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 397,778 @ 180 degree  
Heatable Area: 9,643 sq ft Approx

### Hyprotherm TL-1054-WT 12/12

Retail: \$42,597

Water Capacity: 860 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 200 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 5'W x 4'H  
Overall Dimensions: 172 ½" x 100 ½" x 98"  
Shipping Weight: 10,875 lbs Approx  
Fuel Door: 10'L x 5'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 963,630 @ 180 degree  
Heatable Area: 22,361 sq ft Approx

### Hyprotherm TL-1055-WT 6/6

Retail: \$43,997

Water Capacity: 475 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 250 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 5'W x 5'H  
Overall Dimensions: 160 ½" x 88.5" x 110"  
Shipping Weight: 11,337 lbs Approx  
Fuel Door: 10'L x 5'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 532,238 @ 180 degree  
Heatable Area: 12,903 sq ft Approx

Hyprotherm TL-1055-WT 12/12

Retail: \$45,567

Water Capacity: 1,115 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 250 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 5'W x 5'H  
Overall Dimensions: 172 ½" x 100 ½" x 110"  
Shipping Weight: 11,787 lbs Approx  
Fuel Door: 10'L x 5'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,249,358 @ 180 degree  
Heatable Area: 30,287 sq ft Approx

Hyprotherm TL-1056-WT 6/6

Retail: \$46,967

Water Capacity: 598 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 300 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 5'W x 6'H  
Overall Dimensions: 160 ½" x 88 ½" x 122"  
Shipping Weight: 12,257 lbs Approx  
Fuel Door: 10'L x 5'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 670,059 @ 180 degree  
Heatable Area: 16,751 sq ft Approx

Hyprotherm TL-1056-WTC 6/6

Retail: \$50,375

250 gallon in the lid  
Water Capacity: 848 gallons

Hyprotherm TL-1056-WT 12/12

Retail: \$48,475

Water Capacity: 1,369 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 300 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 5'W x 6'H  
Overall Dimensions: 172 ½" x 100 ½" x 122"  
Shipping Weight: 12,700 lbs Approx  
Fuel Door: 10'L x 5'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,533,965 @ 180 degree  
Heatable Area: 38,187 sq ft Approx

Hyprotherm TL-1056-WTC 12/12

Retail: \$51,897

250 gallon in the lid  
Water Capacity: 1,619 gallons  
Firebox Capacity: 300 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 5'W x 6'H  
Overall Dimensions: 172 ½" x 100 ½" x 122"  
Shipping Weight: 12,700 lbs Approx  
Fuel Door: 10'L x 5'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,814,090 @ 180 degree  
Heatable Area: 43,978 sq ft Approx

Hyprotherm TL-1065-WTC 6/6

Retail: \$50,750

Water Capacity: 934 total gallons  
299 gallon in the lid  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 300 cubic feet  
Firebox Dimensions: ½" thick x 10'L x 6'W x 5'H  
Overall Dimensions: 160 ½" x 98 ½" x 110"  
Shipping Weight: 14,384 lbs Approx  
Fuel Door: 10'L x 6'W  
Grate System: Round steel (requires 10)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,046,547 @ 180 degree  
Heatable Area: 26,167 sq ft Approx



Hyprotherm TL-1256-WT 6/6

Retail: \$50,945

Water Capacity: 667 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 360 cubic feet  
Firebox Dimensions: ½" thick x 12'L x 5'W x 6'H  
Overall Dimensions: 184 ½" x 88 ½" x 122"  
Shipping Weight: 13,595 lbs Approx  
Fuel Door: 12'L x 5'W  
Grate System: Round steel (requires 12)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 747,374 @ 180 degree  
Heatable Area: 18,118 sq ft Approx

Hyprotherm TL-1256-WTC 6/6

Retail: \$54,287

299 gallon in the lid  
Water Capacity: 917 gallons

Hyprotherm TL-1256-WT 12/12

Retail: \$52,775

Water Capacity: 1,527 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 360 cubic feet  
Firebox Dimensions: ½" thick x 12'L x 5'W x 6'H  
Overall Dimensions: 196 ½" x 100 ½" x 122"  
Shipping Weight: 14,025 lbs Approx  
Fuel Door: 12'L x 5'W  
Grate System: Round steel (requires 12)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,711,004 @ 180 degree  
Heatable Area: 41,479 sq ft Approx

Hyprotherm TL-1256-WTC 12/12

Retail: \$56,257

299 gallon in the lid  
Water Capacity: 1,826 gallons

Hyprotherm TL-1456-WT 6/6

Retail: \$72,497

Water Capacity: 733 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 420 cubic feet  
Firebox Dimensions: ½" thick x 14'L x 5'W x 6'H  
Overall Dimensions: 208 ½" x 88 ½" x 122"  
Shipping Weight: lbs Approx  
Fuel Door: 14'L x 5'W  
Grate System: Round steel (requires 14)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 821,327 @ 180 degree  
Heatable Area: 20,533 sq ft Approx

Hyprotherm TL-1456-WTC 6/6

Retail: \$76,897

With 352 gallons of water in lid

Water Capacity: 1085 gallon  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 420 cubic feet  
Firebox Dimensions: ½" thick x 14'L x 5'W x 6'H  
Overall Dimensions: 208 ½" x 88 ½" x 122"  
Shipping Weight: lbs Approx  
Fuel Door: 14'L x 5'W  
Grate System: Round steel (requires 14)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,215,743 @ 180 degree  
Heatable Area: 30,394 sq ft Approx

Hyprotherm TL-1456-WT 12/12

Retail: \$74,397

Water Capacity: 1,675 gallons  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 420 cubic feet  
Firebox Dimensions: ½" thick x 14'L x 5'W x 6'H  
Overall Dimensions: 220 ½" x 100 ½" x 122"  
Shipping Weight: lbs Approx  
Fuel Door: 14'L x 5'W  
Grate System: Round steel (requires 14)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 1,876,838 @ 180 degree  
Heatable Area: 46,920 sq ft Approx

Hyprotherm TL-1456-WTC 12/12  
With 352 gallons of water in lid

Retail: \$78,697

Water Capacity: 2,027 gallon  
Water Jacket Thickness: 3/16"  
Firebox Capacity: 420 cubic feet  
Firebox Dimensions: ½" thick x 14'L x 5'W x 6'H  
Overall Dimensions: 220 ½" x 100 ½" x 122"  
Shipping Weight: lbs Approx  
Fuel Door: 14'L x 5'W  
Grate System: Round steel (requires 14)  
Ash Cleanout: Door only, no removable ash pan  
BTUs: 2,271,254 @ 180 degree  
Heatable Area: 56,781 sq ft Approx

## Hyprotherm, Front Loading, Residential, Hydronic, (COAL ONLY)

The Hyprotherm, Front Loading, Residential Hydronic series (exception is the Eco-85) are front loading furnaces with more water capacity and a larger firebox than any other furnace in its class. All FLRH are coal only furnaces and except for the Eco – FLRH -85 they feature fireboxes that are 3/8” thick. The water jacket bottoms and fronts are also 3/8” thick with the sides, back and top being 3/16”. All front-loading furnaces come with large 24” x 24” fuel fill doors and removable ash pans (except the Eco version) to make ash removal simple. They have steel coal grates (cast iron grates are an available option) and each furnace is pre-wired with only one connection to a power supply necessary, making them basically plug and play. Each comes with; lock down vault assembly door latch, two 1” supply and two 1” return nipples. Also includes a water level sight gauge and (except the Eco version) include a digital thermostat to control the combustion blower.

For available options see complete list beginning on page 40

### Hyprotherm Eco-FLRH-85

Retail: \$5,397

Water Capacity; 85 gallon

Water Jacket Thickness Bottom; 1/4”

Water Jacket Thickness Sides and Top; 3/16”

Firebox Capacity; 15 cubic feet

Firebox Dimensions; 1/4” thick @ 27”L x 29”W x 34”H

Overall Dimensions: 63 1/2” x 46” x 87”

Shipping Weight: 1,685 lbs Approx

Fuel Door; 24” x 24”

Has Surface Mount Thermostat for combustion blower control

Has 50 CFM blower with manual flapper door

Has standard fill valve loop

Has round steel grate in bottom of fire box.

No ash compartment or ash door, no removable ash pan

No pump, no auto damper, no plug and play, no sight glass

No hot water coil, no access for water coil,

No stove poker, no motion light, no chimney cap

### Hyprotherm FLRH-85

Retail: \$7397

Water Capacity; 85

Water Jacket Thickness Bottom; 3/8"

Water Jacket Thickness Sides and Top; 3/16"

Firebox Capacity; 15 cubic feet

Firebox Dimensions; 3/8" thick @ 27"L x 29"W x 34"H

Overall Dimensions: 63 1/2" x 46"x 87"

Shipping Weight: 1,996 lbs Approx

Fuel Door; 24" x 24"

Grate System; Flat Cast (requires 1)

Ash Cleanout: removable Ash Pan

BTUs; 95,243 @ 180 degree

Heatable Area; 2,300 sq ft Approx

### Hyprotherm FLRH-100

Retail: \$7,597

Water Capacity; 100 gallon

Water Jacket Thickness Bottom; 3/8"

Water Jacket Thickness Sides and Top; 3/16"

Firebox Capacity; 16 1/2" cubic feet

Firebox Dimensions; 3/8" thick @ 28"L x 30"W x 34"H

Overall Dimensions: 64 1/2" x 46"x 87"

Shipping Weight: 2,000 Approx

Fuel Door; 24" x 24"

Grate System; Flat Cast (requires 1)

Ash Cleanout: Removable Ash Pan

BTUs; 112,050 @ 180 degree

Heatable Area; 2,800 sq ft Approx

### Hyprotherm FLRH-185

Retail: \$7,997

Water Capacity; 185 gallon  
Water Jacket Thickness Bottom; 3/8"  
Water Jacket Thickness Sides and Top;  
3/16" Firebox Capacity; 19.77 cubic feet  
Firebox Dimensions; 3/8" thick @ 33.5"L x 31-3/4"W x 31-3/4"H  
Overall Dimensions: 70" x 46" x 87"lm,Shipping Weight: 2,040 lbs  
Approx Fuel Door; 24" x 24"  
Grate System; Flat Cast (requires 1)  
Ash Cleanout: Removable Ash Pan  
BTUs; 207,293 @ 180 degree  
Heatable Area; 5,182 sq ft Approx

### Hyprotherm FLRH-265

Retail: \$9,297

Water Capacity; 266 gallon  
Water Jacket Thickness Bottom; 3/8"  
Water Jacket Thickness Sides and Top;  
3/16" Firebox Capacity; 29 cubic feet  
Firebox Dimensions; 3/8" thick @ 49.5"L x 31-3/4"W x 31-  
3/4"H Overall Dimensions: 86" x 46" x 87" Shipping Weight:  
2,500 lbs approx  
Fuel Door; 24" x 24"  
Grate System; Flat Cast (requires 2)  
Ash Cleanout: Removable Ash Pan  
BTUs; 296,933 @ 180 degree  
Heatable Area; 7,400 sq ft Approx

### Hyprotherm FLRH-300

Retail: \$10,297

Water Capacity; 301 gallon  
Water Jacket Thickness Bottom; 3/8"  
Water Jacket Thickness Sides and Top;  
3/16" Firebox Capacity; 34 cubic feet  
Firebox Dimensions; 3/8" thick @ 57.5"L x 31-3/4"W x 31-  
3/4"H Overall Dimensions: 94" x 46" x 87" Shipping Weight:  
2,920 lbs  
Fuel Door; 24" x 24"  
Grate System; Flat Cast (requires 2)  
Ash Cleanout: Removable Ash Pan  
BTUs; 336,150 @ 180 degree  
Heatable Area; 8,400 sq ft Approx

### Hyprotherm FLRH-350

Retail: \$10,797

Water Capacity; 350 gallon  
Water Jacket Thickness Bottom; 3/8"  
Water Jacket Thickness Sides and Top;  
3/16" Firebox Capacity; 41 cubic feet  
Firebox Dimensions; 3/8" thick @ 69.5"L x 31-3/4"W x 31-  
3/4"H Overall Dimensions: 108" x 46" x 87" Shipping Weight:  
3,580 lbs  
Fuel Door; 24" x 24"  
Grate System; Flat Cast (requires 3)  
Ash Cleanout: Removable Ash Pan  
BTUs; 392,175 @ 180 degree  
Heatable Area; 9,800 sq ft Approx

Hyprotherm FLRH-400

Retail: \$11197

Water Capacity; 403 gallon

Water Jacket Thickness Bottom; 3/8"

Water Jacket Thickness Sides and Top; 3/16"

Firebox Capacity; 41 cubic feet

Firebox Dimensions; 3/8" thick @ 69.5"L x 31-3/4"W x 31-3/4"H

Overall Dimensions: 120" x 46" x 87"

Shipping Weight: 3680 lbs Approx

Fuel Door; 24" x 24"

Grate System; Flat Cast (requires 3)

Ash Cleanout: Removable Ash Pan

BTUs; 451,562 @ 180 degree

Heatable Area; 11,288 sq ft Approx (using their math it would heat 12,543

Hyprotherm, Front Loading, Forced Air



## (Coal or Wood)

The *Hyprotherm, Front Loading, Forced Air* series is a front loading furnace with a larger firebox than any other furnace in its class. These coal or wood furnaces feature fireboxes that are 1/4" thick. The air jacket bottom is also 1/4" thick with the sides and top being 1/8". All of these front loading furnaces come with large 24" x 24" fuel fill ./ and removable ash pans to make ash removal simple. All furnaces come with seamless water jacket, new door latch with lock down vault assembly. They have round steel grates and each furnace is pre wired with only one connection to a power supply and one connection to your home thermostat necessary, making them basically plug and play.

### Hyprotherm FLFA-1000

Retail: \$6,697

Air Jacket Thickness; 1/8"

Firebox Capacity; 16 cubic feet

Firebox Dimensions; 1/4" thick 28"L x 31-3/4"W x 31-3/4"H

Overall Dimensions: 62" x 46" x 87"

Shipping Weight: 1,720 lbs

Fuel Door; 24" x 24"

Grate System; Round Steel (requires 1)

Ash Cleanout: Removable Ash Pan

BTUs; 91,000

Heat able Area; 4,375 sq ft Approx

### Hyprotherm FLFA-2000

Retail: \$7,997

Air Jacket Thickness; 1/8"

Firebox Capacity; 24 cubic feet

Firebox Dimensions; 1/4" thick 42"L x 31-3/4"W x 31-3/4"H

Overall Dimensions: 76" x 46" x 87"

Shipping Weight: 2,220 lbs

Fuel Door; 24" x 24"

Grate System; Round Steel (requires 2)

Ash Cleanout: Removable Ash Pan

BTUs; 135,000

Heatable Area; 6,575 sq ft Approx

### Hyprotherm FLFA-3000

Retail: \$8,897

Air Jacket Thickness; 1/8"  
Firebox Capacity; 33 cubic feet  
Firebox Dimensions; 1/4" thick 56"L x 31-3/4"W x 31-3/4"H  
Overall Dimensions: 89" x 46" x 87"  
Shipping Weight: 2,340 lbs  
Fuel Door; 24" x 24"  
Grate System; Round Steel (requires 2)  
Ash Cleanout: Removable Ash Pan  
BTUs; 165,000  
Heatable Area; 8,600 sq ft Approx

### Hyprotherm FLFA-4000

Retail: \$10697

Air Jacket Thickness; 1/8"  
Firebox Capacity; 41 cubic feet  
Firebox Dimensions; 1/4" thick 69"L x 31-3/4"W x 31-3/4"H  
Overall Dimensions: 78" x 85" x 87"  
Shipping Weight: 3,380 lbs  
Fuel Door; 24" x 24"  
Grate System; Round Steel (requires 3)  
Ash Cleanout: Removable Ash Pan  
BTUs; 205,000  
Heatable Area; 10,700 sq ft Approx

## OUT OF STOCK

### Hyprotherm L Series, Front Loading, Residential, Hydronic (COAL ONLY)

The *Hyprotherm, , L Series, Front Loading, Residential, Hydronic* series is a front loading furnace with a round firebox based on the old style hydronic furnace. These coal only furnaces feature fireboxes that are 3/8" thick with 1/4" end caps. The water jacket is 3/16" thick on the bottom and the sides and top are one piece of machine formed 1/8" steel with no welded seams. All Furnaces come with seamless water-jacket, new door latch with lockdown vault assembly. Cast iron coal grates. A 6" x 14" door provides access to the ash compartment below the fuel door. Two 1" supply nipples and two 1" return nipples standard. Includes a water level sight gauge and surface mount thermostat.

#### Hyprotherm LRH - 140

Retail: \$6,897

Water Capacity; 125 gallon

Water Jacket Thickness Bottom; 3/16"

Water Jacket Thickness Sides and Top; 1/8"

Firebox Capacity; 14 cubic feet

Firebox Dimensions; 3/8" thick @ 27.5"L x 36" tube

Overall Dimensions: 70" x 46" x 87"

Shipping Weight: 1,822 lbs

Fuel Door; 19" x 19"

Grate System; Flat Cast (requires 1)

Ash Cleanout: Door only, no removable ash pan

BTUs; 134,000 @ 180 degree

Heatable Area; 3,000 sq ft Approx

### Hyprotherm LRH - 165

Retail: \$7,497

Water Capacity; 170 gallon  
Water Jacket Thickness Bottom; 3/16"  
Water Jacket Thickness Sides and Top; 1/8"  
Firebox Capacity; 15.5 cubic feet  
Firebox Dimensions; 3/8" thick @ 34"L x 36" tube  
Overall Dimensions: 70" x 46" x 87"  
Shipping Weight: 1,930 lbs Approx  
Fuel Door; 19" x 19"  
Grate System; Flat Cast (requires 1)  
Ash Cleanout: Door only, no removable ash pan  
BTUs; 165,000 @ 180 degree  
Heatable Area; 4,000 sq ft Approx

### Hyprotherm LRH - 250

Retail: \$8,197

Water Capacity; 230 gallon  
Water Jacket Thickness Bottom; 3/16"  
Water Jacket Thickness Sides and Top; 1/8"  
Firebox Capacity; 22.82 cubic feet  
Firebox Dimensions; 3/8" thick @ 49.5"L x 36" tube  
Overall Dimensions: 86" x 46" x 87"  
Shipping Weight: 2,287 lbs Approx  
Fuel Door; 19" x 19"  
Grate System; Flat Cast (requires 2)  
Ash Cleanout: Door only, no removable ash pan  
BTUs; 240,000 @ 180 degree  
Heatable Area; 5,500 sq ft Approx

### Hyprotherm LRH -290

Retail: \$8,997

Water Capacity; 260 gallon  
Water Jacket Thickness Bottom; 3/16"  
Water Jacket Thickness Sides and Top; 1/8"  
Firebox Capacity; 28.98 cubic feet  
Firebox Dimensions; 3/8" thick @ 57.5"L x 36" tube  
Overall Dimensions: 94" x 46" x 87"  
Shipping Weight: 2,560 lbs Approx  
Fuel Door; 19" x 19"  
Grate System; Flat Cast (requires 2)  
Ash Cleanout: Door only, no removable ash pan  
BTUs; 280,000 @ 180 degree  
Heatable Area; 7,000 sq ft Approx

### Hyprotherm LRH -340

Retail: \$9,597

Water Capacity; 300 gallon  
Water Jacket Thickness Bottom; 3/16"  
Water Jacket Thickness Sides and Top; 1/8"  
Firebox Capacity; 32 cubic feet  
Firebox Dimensions; 3/8" thick @ 69.5"L x 36" tube  
Overall Dimensions: 106" x 46" x 87"  
Shipping Weight: 2,960 lbs Approx  
Fuel Door; 19" x 19"  
Grate System; Flat Cast (requires 3)  
Ash Cleanout: Door only, no removable ash pan  
BTUs; 326,000 @ 180 degree  
Heatable Area; 8,000 sq ft Approx

# OUT OF STOCK

## The Hyprotherm

### L- Series Front Loading Forced Air Furnace

The Hyprotherm, L Series, Front Loading, Forced Air series is a front loading furnace with a round firebox based on the old style hydronic furnace. These coal/wood furnaces feature fireboxes that are 3/8" thick with 1/4" end caps and the air jacket is 1/8" thick. All of these front loading furnaces come with large 19" x 19" fuel fill doors and have round steel grates. A 6" x 14" door provides access to the ash compartment below the fuel door.

All furnaces come with a seamless air jacket, new door latch with lock down vault assembly. Prewired (plug and play)

#### Hyprotherm LFA-1000

Retail: \$5,997

Air Jacket Thickness; 1/8"  
Firebox Capacity; 12.81 cubic feet  
Firebox Dimensions; 3/8" thick 28"L x 36"H tube  
Overall Dimensions: 64 1/2" x 46" x 87"  
Shipping Weight: 1,970 lbs Approx  
Fuel Door; 19" x 19"  
Grate System; Round Steel (requires 1)  
Ash Cleanout: Door only, no removable ash pan  
BTUs; 91,000  
Heatable Area; 3,500 sq ft Approx

#### Hyprotherm LFA -2000

Retail: \$6,997

Air Jacket Thickness; 1/8"  
Firebox Capacity; 19.33 cubic feet  
Firebox Dimensions; 3/8" thick x 42"L x 36"H x tube  
Overall Dimensions: 78 1/2" x 46" x 87"  
Shipping Weight: 2,277 lbs Approx  
Fuel Door; 19" x 19"  
Grate System: Round Steel (requires 2)  
Ash Cleanout: Door only, no removable ash pan

BTUs;135,000  
Heatable Area; 5,500 sq ft Approx

Hyprotherm LFA -3000

Retail: \$7,997

Air Jacket Thickness; 1/8"  
Firebox Capacity; 25.86 cubic feet  
Firebox Dimensions; 3/8" thick 56"L x 36"H tube  
Overall Dimensions: 92 1/2" x 46" x 87"  
Shipping Weight: 2,590 lbs Approx  
Fuel Door; 19" x 19"  
Grate System: Round Steel (requires 2)  
Ash Cleanout: Door only, no removable ash pan  
BTUs; 165,000  
Heatable Area; 6,875 sq ft Approx

Hyprotherm LFA -4000

Retail: \$9,697

Air Jacket Thickness; 1/8"  
Firebox Capacity; 31.92 cubic feet  
Firebox Dimensions; 3/8" thick 69"L x 36"H tube  
Overall Dimensions: 78" x 85" x 87"  
Shipping Weight: 3,630 lbs Approx  
Fuel Door; 19" x 19"  
Ash Cleanout: Door only, no removable ash pan  
Grate System; Round Steel (requires 3)  
BTUs; 205,000  
Heatable Area; 8,500 sq ft Approx

# Customized Option List for all HyProTherm Furnaces

---

---

Front Loading Hydronic and Forced Air

## Firebox Upgrades / Air Jacket / Water Jacket

ALL 1/4" FIRE BOXES HAVE 3/8" FRONTS

### Hyprotherm FLFA-1000

#### Fire Box

**\$395.00 1/4" to 3/8" FLFA – 1000 (WEIGHTS 150 POUNDS MORE)**

### Forced Air Jacket Upgrade

#### Hyprotherm FLFA-1000

**\$295.00 1/8" to 3/16" FLFA – 1000 (WEIGHTS 115 POUNDS MORE)**

---

### Hyprotherm FLFA-2000

#### Fire Box

**497.00 1/4" to 3/8" FLFA – 2000 (WEIGHTS 220 POUNDS MORE)**

### Forced Air Jacket Upgrade

#### Hyprotherm FLFA-2000

**\$295.00 1/8" to 3/16" FLFA – 2000 (WEIGHTS 140 POUNDS MORE)**





**Hyprotherm FLFA-3000**

**Fire Box**

**\$597.00 1/4" to 3/8" FLFA – 3000 (WEIGHTS 300 POUNDS MORE)**

**Forced Air Jacket Upgrade**

**Hyprotherm FLFA-3000**

**\$347.00 1/8" to 3/16" FLFA – 3000 (WEIGHTS 165 POUNDS MORE)**

---

**Hyprotherm FLFA-4000**

**Fire Box**

**\$597.00 1/4" to 3/8" FLFA – 4000 (WEIGHTS 360 POUNDS MORE)**

**Forced Air Jacket Upgrade**

**Hyprotherm FLFA-4000**

**\$347.00 1/8" to 3/16" FLFA – 4000 (WEIGHTS 155 POUNDS MORE)**

**Hyprotherm Eco-FLRH-85**

**Fire Box**

**\$499.00 1/4" to 3/8" Eco-FLRH – 85 (WEIGHTS 200 POUNDS MORE)**

**\$697.00 1/4" to 1/2" Eco-FLRH – 85 (WEIGHTS 400 POUNDS MORE)**

**Water Jacket Upgrade**

**Hyprotherm Eco-FLRH-85**

**\$295.00 3/16" to 1/4" Eco-FLRH-85 (WEIGHTS 100 POUNDS MORE)**

**Hyprotherm FLRH-85**

**Fire Box**

**\$499.00 3/8" to 1/2" FLRH – 85 (WEIGHTS 225 POUNDS MORE)**

**Water Jacket Upgrade**

**Hyprotherm FLRH-85**

**\$295.00 3/16" to 1/4" FLRH-85 (WEIGHTS 100 POUNDS MORE)**

**Hyprotherm FLRH-100**

**Fire Box**

**\$547.00 3/8" to 1/2" FLRH – 100 (WEIGHTS 250 POUNDS MORE)**

**Water Jacket Upgrade**

**Hyprotherm FLRH-100**

**\$295.00 3/16" to 1/4" FLRH-100 (WEIGHTS 100 POUNDS MORE)**

**Hyprotherm FLRH-185**

**Fire Box**

**\$597.00 3/8" to 1/2" FLRH – 185 (WEIGHTS 300 POUNDS MORE)**

**Water Jacket Upgrade**

**Hyprotherm FLRH-185**

**\$295.00 3/16" to 1/4" FLRH-185 (WEIGHTS 135 POUNDS MORE)**

**Hyprotherm FLRH-265**

**Fire Box**

**\$655.00 3/8" to 1/2" FLRH – 265 (WEIGHTS 375 POUNDS MORE)**

**Water Jacket Upgrade**

**Hyprotherm FLRH-265**

**\$395.00 3/16" to 1/4" FLRH-265 (WEIGHTS 185 POUNDS MORE)**

**Hyprotherm FLRH-300**

**Fire Box**

**\$697.00 3/8" to 1/2" FLRH – 300 (WEIGHTS 400 POUNDS MORE)**

**Water Jacket Upgrade**

**Hyprotherm FLRH-300**

**\$395.00 3/16" to 1/4" FLRH-300 (WEIGHTS 200 POUNDS MORE)**

**Hyprotherm FLRH-350**  
**Fire Box**

**\$797.00 3/8" to 1/2" FLRH – 350 (WEIGHTS 460 POUNDS MORE)**

**Water Jacket Upgrade**  
**Hyprotherm FLRH-350**

**\$425.00 3/16" to 1/4" FLRH-350 (WEIGHTS 225 POUNDS MORE)**

**Hyprotherm FLRH-400**  
**Fire Box**

**\$997.00 3/8" to 1/2" FLRH – 400 (WEIGHTS 645 POUNDS MORE)**

**Water Jacket Upgrade**  
**Hyprotherm FLRH-400**

**\$435.00 3/16" to 1/4" FLRH-400 (WEIGHTS 260 POUNDS MORE)**

## **Forced Air Blower Upgrade**

**\$195.00 Upgrade standard single speed 1,457 CFM blower (FA-1000), to a four speed 2,020 CFM blower.**

**\$499.00. Upgrade (each) internal 2,000 CFM blower on a forced air furnace to an external blower for use in Kiln type settings of 150 degree or less**

**Call for price quote to Upgrade (each) internal 2,000 CFM blower on a forced air furnace to an external blower for use in Kiln type settings of 250 degree or less**

**\$1,569 approx**

## **Extra Options FLFA AND FLRH**

**\$75.00 Flue Pipe Adapter (adapts to a standard 6" ID flue pipe)**

**\$79.00 Internal Flue Pipe Heat Loss Restrictor \$125.00 Extra Hot**

### **Water Coil**

**\$106.00 Removable Ash Pan**

**\$398.00 Ash Compartment with Door (Eco-FL-85)**

**\$69.00 Stove Poker**

**\$19.00 Motion Light**

**\$21.00 Thermometer Gauge**

**\$27.00 Thermometer Gauge (with well)**

**\$1.95 Per Foot Rope Gasket**

## **Cold weather package**

**\$225.00 Standard Models**

**\$457.00 Top Loaders**

## Thermostats

**\$99.00 Ranco Digital (without dry well)**

**\$149.00 Complete Plug and Play Package; Package includes one Ranco ETC, two 115 volt receptacles, one 115 volt switch all conveniently mounted on a steel plate.**

**\$19.00 Dry Well**

**\$16.00 Surface Mount**

**\$100.00 Honeywell Fan Limit Controller (forced air only)**

## Grate Upgrades

**1 set of Shakers = 1 Flat Cast , OR = 1 Round Steel**

**\$225.00 Each , Shaker Grates from Flat Cast (set of three)**

**\$255.00 Each , Shaker Grates (set of three) from Round Steel**

**\$60.00 Each , Flat Coal Grates (each)**

## Grate Purchase Separate

**1 set of Shakers = 1 Flat Cast , OR = 1 Round Steel**

**\$349.00 Each , Shaker Grates (set of three)**

**\$100.00 Each , Flat Coal Grates (each)**

**\$69.00 Each , Round Steel Grates (each)**

## Multi Fuel Options

**\$ 399 AUGER PORT 8" ID, ANGLED, With Internal Flame Deflector \$**

**265 Saw Dust / Wood Chips burner (square firebox furnaces only)**

**IN CORNERS, VERTICAL , EVERY 2' APPROX , IN CORNERS**

**\$ 280 Auxiliary Burner Sleeve , HORIZONTAL 5" ID**

## **Supply and Return Ports ( = set )**

**\$50.00 Extra Set OF 1" SUPPLY AND RETURN PORTS**

**\$50.00 Solar Ports 1/2" SUPPLY AND RETURN PORTS**

## **Blower Upgrade**

**\$82 Standard 75 CFM to a 150 CFM Blower**

## **Blower Purchase Separate**

**\$99 75 CFM Blowers**

**\$115 150 CFM Blowers**

**\$40 Solenoid**

**\$80 Universal combustion blower clean out**

## **Pump Upgrade From standard (3 Speed-20GPM- max)**

**\$95 B-25 Large , 3 Speed 34 GPM max**

**\*Reference,Taco 0011 (Equivalent) Circulator Pump Approx 31GPM**

**\*Reference,Taco 0013 (Equivalent) Circulator Pump Approx 33GPM**

## **Pumps Purchased Separate**

**\$122 (3 Speed - 20GPM - max)**

**\$195 B-25 Large , 3 Speed 34 GPM max**

**\*Reference,Taco 0011 (Equivalent) Circulator Pump Approx 31GPM**

**\*Reference,Taco 0013 (Equivalent) Circulator Pump Approx 33GPM**

**\$21 Pump Flange Kit**

## **Purchase Hot Water Option**

**\$499 Potable Hot Water Option (forced air furnaces only)**

**Includes coil and access do**



## Top Loader options

### **Hyprotherm (TL) Top Loading, Chest Type, Hydronic Water Jacket Upgrade to 1/4"**

**\$695.00 = 6' Models and Under**

**\$1297.00 = 9' Models**

**\$1485.00 = 10' Models**

**\$1697.00 = 12' Models**

**\$1927.00 = 14' Models**

**\$65 1 SET (2" SUPPLY AND RETURN PORTS) EQUALS 2 ,1" LINES**

**\$180 Wireless Remote**

**\$210 Blue Tooth wireless remote**

**\$249 Internal Fire Box Downspout Heat Loss Restrictor**

**\$40 Solenoid**

**\$80 Universal combustion blower clean out**

**\$599 TL Automatic Flue Damper**

### **Blower Upgrade**

**\$82 Standard 75 CFM to a 150 CFM Blowers**

### **Blower Purchase Separate**

**\$105 75 CFM Blowers**

**\$158 150 CFM Blowers**

### **Removable ash pan**

**\$2,000 Fork removable ash pan attachment (new models only)**

**\$2,520 Upgrade fork removable ash pan adaptor kit (existing top loaders)**

### **Manual Pull Out Ash Pan for standard Top Loaders**

**\$200**

### **Add Water in lid to WT models or FATL models**

**4'-6' WTC models add \$950**

**8'-9' WTC models add \$1,859**

**10' - 12' WTC models add \$2,115**

**14' - WTC models add \$2,650**

# **Forced Air Top Loader Options**

**Upgrade any WT 6/6 model Top Loader furnace to a (FATL) Forced Air Top Loader**

**(Complete with two separately controlled 2,000 CFM blowers for heating two separate zones )**

**\$2,500**

**\$400 (credit remove one 2,000 CFM blower).**

**Upgrade (each) internal 2,000 CFM blower on a forced air furnace to an external blower for use in Kiln type settings of 150 degree or less**

**\$499**

**Call for price quote to Upgrade (each) internal 2,000 CFM blower on a forced air furnace to an external blower for use in Kiln type settings of 250 degree or less**

**\$1,569 approx**

**\* Check with dealer for availability and prices**

**\* Prices may change without notice**

# \* *New Product* \*

Hyprotherm, Front Loading, Residential, Pool Heater

This unit is a FLRH-85 fire box inside of a FLRH-185 water jacket

## *Hyprotherm FLRPH-205*

Retail: \$6,597

Water Capacity; 205 gallon

Water Jacket Thickness Bottom; 3/8"

Water Jacket Thickness Sides and Top;

3/16" Firebox Capacity; 15 cubic feet

Firebox Dimensions; 3/8" thick @ 27"L x 29"W x

34"H Overall Dimensions: Same as FLRH-185

Shipping Weight: coming soon Approx

Fuel Door; 24" x 24"

Grate System; Round Steel (requires 1)

Ash Cleanout: No Ash Pan

Has Surface Mount Thermostat for combustion blower control

Has 50 CFM blower with manual flapper door

Has standard fill valve loop

Has round steel grate in bottom of fire box.

No ash compartment or ash door, no removable ash pan

No pump, no auto damper, no plug and play, no sight glass

No hot water coil, no access for water coil,

No stove poker, no motion light, no chimney cap